According to Consolidated Hazardous Substances (Safety Data Sheets) Notice 2017



Huwa-San TR-50

Date of compilation: 07/04/2025 Revised: 17/11/2023 Version: 3 (Replaced 2)

SECTION 1: IDENTIFICATION

1.1 Product identifier: Huwa-San TR-50

Other means of identification:

Not relevant

1.2 Recommended uses and any restrictions on use or supply:

Relevant uses: Biocide . For professional users only.

Uses advised against: All uses not specified in this section or in section 7.3

1.3 Supplier's details:

NV Roam Technology Geleenlaan 24

3600 Genk - EMEA - Belgium Phone: +32 89 44 00 42 info@roamtechnology.com https://www.roamtechnology.com/

1.4 Emergency phone number: 0800 764 766 (New Zealand National Poisons Centre)

SECTION 2: HAZARD IDENTIFICATION

2.1 Classification of the substance or mixture:

Product classified regardless of its extreme pH.

Hazardous Substances (Hazard Classification) Notice 2020.:

This product was classified in accordance with Hazardous Substances (Hazard Classification) Notice 2020.

Acute Tox. 4: Acute toxicity if swallowed, Category 4, H302

Aquatic Chronic 3: Hazardous to the aquatic environment, long-term hazard, Category 3, H412

Eye Dam. 1: Serious eye damage, Category 1, H318

Skin Irrit. 2: Skin irritation, Category 2, H315

STOT SE 3: Respiratory tract toxicity, single exposure, Category 3, H335

2.2 Label elements, including precautionary statements:

Hazardous Substances (Hazard Classification) Notice 2020.:

Dange





Hazard statements:

Acute Tox. 4: H302 - Harmful if swallowed.

Aguatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.

Eye Dam. 1: H318 - Causes serious eye damage.

Skin Irrit. 2: H315 - Causes skin irritation.

STOT SE 3: H335 - May cause respiratory irritation.

Precautionary statements:

P280: Wear protective gloves/protective clothing/respiratory protection/eye protection.

P302+P352: IF ON SKIN: Wash with plenty of soap and water.

P304+P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P403+P233: Store in a well-ventilated place. Keep container tightly closed.

P501: Dispose of contents and / or containers in accordance with regulations on hazardous waste or packaging and packaging waste respectively.

2.3 Other hazards which do not result in classification:

Not relevant

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances:

CONTINUED ON NEXT PAGE

Version: 3 (Replaced 2) Page 1/10

According to Consolidated Hazardous Substances (Safety Data Sheets) Notice 2017



Huwa-San TR-50

Date of compilation: 07/04/2025 Revised: 17/11/2023 Version: 3 (Replaced 2)

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS (continued)

Non-applicable

3.2 Mixtures:

Chemical description: Peroxide/s

Components:

In accordance with Part B: Concentration cut-offs for ingredients in mixtures for purpose of section 3 of Consolidated Hazardous Substances (Safety Data Sheets) Notice 2017, the product contains:

	Identification	Chemical name/Classification	Concentration
CAS:	7722-84-1	hydrogen peroxide solution Acute Tox. 4: H302+H332; Ox. Liq. 1: H271; Skin Corr. 1A: H314 - Danger	49 - <50 %
CAS:	7440-22-4	Silver Aquatic Acute 1: H400; Aquatic Chronic 1: H410 - Warning	<0,1 %

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

Other information:

Identification		M-factor
Silver	Acute	10
CAS: 7440-22-4	Chronic	10

Identification	Specific concentration limit	
CAS: 7722-84-1	% (w/w) >=70: Ox. Liq. 1 - H271 50<= % (w/w) <70: Ox. Liq. 2 - H272 % (w/w) >=70: Skin Corr. 1A - H314 50<= % (w/w) <70: Skin Corr. 1B - H314 35<= % (w/w) <50: Skin Irrit. 2 - H315 % (w/w) >=8: Eye Dam. 1 - H318 5<= % (w/w) <8: Eye Irrit. 2 - H319 % (w/w) >=35: STOT SE 3 - H335	

SECTION 4: FIRST-AID MEASURES

4.1 First aid instructions according to each relevant route of exposure;:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

By inhalation:

Remove the person affected from the area of exposure, provide with fresh air and keep at rest. In serious cases such as cardiorespiratory failure, artificial resuscitation techniques will be necessary (mouth to mouth resuscitation, cardiac massage, oxygen supply, etc.) requiring immediate medical assistance.

By skin contact:

Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, as this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

By ingestion/aspiration:

Request medical assistance immediately, showing the SDS of this product. Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. In the case of loss of consciousness do not administrate anything orally unless supervised by a doctor. Rinse out the mouth and throat, as they may have been affected during ingestion. Keep the person affected at rest.

4.2 Most important symptoms and effects, acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of medical attention and its urgency:

Not relevant

Version: 3 (Replaced 2) Page 2/10

According to Consolidated Hazardous Substances (Safety Data Sheets) Notice 2017



Huwa-San TR-50

Date of compilation: 07/04/2025 Revised: 17/11/2023 Version: 3 (Replaced 2)

SECTION 5: FIRE-FIGHTING MEASURES

5.1 Information on the appropriate type of extinguishers or fire-fighting agents:

Appropriate type of extinguishers or fire-fighting agents:

Product is non-flammable under normal conditions of storage, handling and use. Use preferably water.

Inappropriate type of extinguishers or fire-fighting agents:

Non-applicable

5.2 Advice on specific hazards that may arise from the substance:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Special protective equipment and precautions for fire-fighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and individual respiratory equipment. Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...)

Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Destroy any source of ignition. In case of fire, refrigerate the storage containers and tanks for products susceptible to inflammation, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Evacuate the area and keep out those who do not have protection.

For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

6.2 Environmental precautions from accidental spills and release;:

Avoid at all cost any type of spillage into an aqueous medium. Contain the product absorbed appropriately in hermetically sealed containers. Notify the relevant authority in case of exposure to the general public or the environment.

6.3 Advice on how to contain and clean up a spill or release:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks. Keep containers hermetically sealed. Control spills and residues, destroying them with safe methods (section 6). Avoid leakages from the container. Maintain order and cleanliness where dangerous products are used.

B.- Technical recommendations for the prevention of fires and explosions

It is recommended to transfer at a slow speed to avoid the creation of electrostatic charges that could affect flammable products. Consult section 10 for conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

Due to the danger of this product for the environment it is recommended to use it within an area containing contamination control barriers in case of spillage, as well as having absorbent material in close proximity.

CONTINUED ON NEXT PAGE

Version: 3 (Replaced 2) Page 3/10





Huwa-San TR-50

Date of compilation: 07/04/2025 Revised: 17/11/2023 Version: 3 (Replaced 2)

SECTION 7: HANDLING AND STORAGE (continued)

7.2 Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage

Minimum Temp.: 5 °C

Maximum Temp.: 30 °C

Maximum time: 24 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Occupational exposure limits:

Substances whose workplace exposure standards (WES) have to be monitored in the work environment:

Workplace exposure standards (WES) and biological exposure indices, Edition 12-1:

Identification	Occupational exposure limits		
hydrogen peroxide solution	TWA	1 ppm	1.4 mg/m ³
CAS: 7722-84-1	STEL		
Silver	TWA		0.1 mg/m ³
CAS: 7440-22-4	STEL		

8.2 Engineering controls:

A.- Identification of the specific types of personal protective equipment

As a preventative measure it is recommended to use basic Personal Protection Equipment. For more information on Personal Protection Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1.

All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

Pictogram	PPE	Remarks
Mandatory respiratory tract protection	Filter mask for gases and vapours	Replace when there is a taste or smell of the contaminant inside the face mask. If the contaminant comes with warnings it is recommended to use isolation equipment.

C.- Specific protection for the hands

Pictogram	PPE	Remarks
Mandatory hand protection	Protective gloves against minor risks	Replace gloves in case of any sign of damage. For prolonged periods of exposure to the product for professional users/industrials, we recommend using chemical protection gloves

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.

D.- Eye and face protection

Pictogram	PPE	Remarks
Mandatory face protection	Panoramic glasses against splash/projections.	Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing.

Version: 3 (Replaced 2) Page 4/10

According to Consolidated Hazardous Substances (Safety Data Sheets) Notice 2017



Huwa-San TR-50

Date of compilation: 07/04/2025 Revised: 17/11/2023 Version: 3 (Replaced 2)

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

E.- Bodily protection

Pictogram	ctogram PPE Remarks	
1	Work clothing	Replace before any evidence of deterioration.

F.- Additional emergency measures

Emergency measure	Standards	Emergency measure	Standards
Emergency shower	ANSI Z358-1 ISO 3864-1:2011, ISO 3864-4:2011	Eyewash stations	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011

Environmental exposure controls:

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties:

For complete information see the product datasheet.

Appearance:

Physical state at 20 °C:

Appearance:

Colour:

Colourless

Odour:

Pungent

Odour threshold:

Not relevant **

Volatility:

Initial boiling point and boiling range: 121 °C
Vapour pressure at 20 °C: 1601 Pa

Vapour pressure at 50 °C: 8564.88 Pa (8.56 kPa)

Evaporation rate at 20 °C: Not relevant *

Product description:

Density at 20 °C:

Relative density at 20 °C: 1.201 Dynamic viscosity at 20 °C: 1.02 cP Kinematic viscosity at 20 °C: 0.85 mm²/s Kinematic viscosity at 40 °C: Not relevant * Concentration: Not relevant * pH: 0.4 - 1.8Vapour density at 20 °C: Not relevant * Partition coefficient n-octanol/water 20 °C: Not relevant * Solubility in water at 20 °C: Not relevant * Not relevant * Solubility properties:

Melting point/freezing point: **Flammability:**

Decomposition temperature:

*Not relevant due to the nature of the product, not providing information property of its hazards.

CONTINUED ON NEXT PAGE

Not relevant *
Not relevant *

1200.6 kg/m3

Version: 3 (Replaced 2) Page 5/10





Huwa-San TR-50

Date of compilation: 07/04/2025 Revised: 17/11/2023 Version: 3 (Replaced 2)

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (continued)

Flash Point: Non Flammable (>93 °C)

Flammability (solid, gas):

Autoignition temperature:

Lower flammability limit:

Upper flammability limit:

Not relevant *

Not relevant *

Not relevant *

Particle characteristics:

Median equivalent diameter: Non-applicable

9.2 Other information:

Information with regard to physical hazard classes:

Explosive properties:

Oxidising properties:

Corrosive to metals:

Heat of combustion:

Aerosols-total percentage (by mass) of flammable

Not relevant *

Not relevant *

Not relevant *

components:

Other safety characteristics:

Surface tension at 20 °C:

Refraction index:

Not relevant *

Not relevant *

*Not relevant due to the nature of the product, not providing information property of its hazards.

SECTION 10: STABILITY AND REACTIVITY

10.1 Chemical reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7 from Safety Data Sheet.

10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4 List of conditions to avoid or prevent a hazardous situation:

Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
Not applicable	Not applicable	Not applicable	Avoid direct impact	Not applicable

10.5 Information on incompatible substances or materials:

Acids	Water	Oxidising materials	Combustible materials	Others
Not applicable	Not applicable	Precaution	Precaution	Avoid alkalis or strong bases

10.6 Information on hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO_2), carbon monoxide and other organic compounds.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects:

The experimental information related to the toxicological properties of the product itself is not available

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than recommended by the occupational exposure limits, it may result in adverse effects on health depending on the means of exposure:

Version: 3 (Replaced 2) Page 6/10

According to Consolidated Hazardous Substances (Safety Data Sheets) Notice 2017



Huwa-San TR-50

Date of compilation: 07/04/2025 Revised: 17/11/2023 Version: 3 (Replaced 2)

SECTION 11: TOXICOLOGICAL INFORMATION (continued)

A- Ingestion (acute effect):

- Acute toxicity: The consumption of a considerable dose can cause irritation in the throat, abdominal pain, nausea and vomiting.
- Corrosivity/Irritability: The consumption of a considerable dose can cause irritation in the throat, abdominal pain, nausea and vomiting.

B- Inhalation (acute effect):

- Acute toxicity: Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.
- Corrosivity/Irritability: Causes irritation in respiratory passages, which is normally reversible and limited to the upper respiratory passages.
- C- Contact with the skin and the eyes (acute effect):
 - Contact with the skin: Produces skin inflammation.
 - Contact with the eyes: Produces serious eye damage after contact.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
 - Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.

IARC: hydrogen peroxide solution (3)

- Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- E- Sensitizing effects:
 - Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.
 - Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- F- Specific target organ toxicity (STOT) single exposure:

Causes irritation in respiratory passages, which is normally reversible and limited to the upper respiratory passages.

- G- Specific target organ toxicity (STOT)-repeated exposure:
 - Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
 - Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

Other information:

Not relevant

Specific toxicology information on the substances:

Identification	,	Acute toxicity	
hydrogen peroxide solution	LD50 oral	431 mg/kg	Rat
CAS: 7722-84-1	LD50 dermal		
	LC50 inhalation	11 mg/L (ATEi)	
Silver	LD50 oral	>5000 mg/kg	Rat
CAS: 7440-22-4	LD50 dermal		
	LC50 inhalation		

SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available Harmful to aquatic life with long lasting effects.

Version: 3 (Replaced 2) Page 7/10





Huwa-San TR-50

Date of compilation: 07/04/2025 Revised: 17/11/2023 Version: 3 (Replaced 2)

SECTION 12: ECOLOGICAL INFORMATION (continued)

12.1 Ecotoxicity (aquatic and terrestrial):

Acute toxicity:

Identification		Concentration	Species	Genus
hydrogen peroxide solution	LC50	16.4 mg/L (96 h)	Pimephales promelas	Fish
CAS: 7722-84-1	EC50	7.7 mg/L (24 h)	Daphnia magna	Crustacean
	EC50	2.5 mg/L (72 h)	Chlorella vulgaris	Algae
Silver	LC50	0.013 mg/L (96 h)	Oncorhynchus mykiss	Fish
CAS: 7440-22-4	EC50	Not relevant		
	EC50	Not relevant		

12.2 Persistence and degradability:

Not available

12.3 Potential to be bioaccumulative:

Not available

12.4 Mobility in soil:

Not available

12.5 Results of PBT and vPvB assessment:

Non-applicable

12.6 Other adverse effects:

Not described

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Appropriate and achievable disposal methods:

Special precautions to be taken during disposal:

Consult the authorized waste service manager on the assessment and disposal operations. In case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-hazardous residue. Waste should not be disposed of to drains. See epigraph 6.2.

Regulations related to waste management:

Legislation related to waste management:

Consolidated Imports and Exports (Restrictions) Prohibition Order (No 2) 2004

Consolidated Hazardous Substances (Disposal) Notice 2017

SECTION 14: TRANSPORT INFORMATION

Transport of dangerous goods by land:

With regard to NZS 5433:2020 Transport of dangerous goods on land





14.1 UN number:

UN2014

4.2 UN proper shipping name: HYDROGEN PEROXIDE, AQUEOUS SOLUTION

14.3 UN dangerous goods class and subsidiary risk:

5.1

Labels: 5

5.1, 8

14.4 UN Packing Group: II **14.5 Environmental hazards:** No.

14.6 Special precautions for user

Physico-Chemical properties: see section 9

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code:

Not relevant

Transport of dangerous goods by sea:

With regard to IMDG 41-22:

CONTINUED ON NEXT PAGE

Version: 3 (Replaced 2) Page 8/10

According to Consolidated Hazardous Substances (Safety Data Sheets) Notice 2017



Huwa-San TR-50

Date of compilation: 07/04/2025 Revised: 17/11/2023 Version: 3 (Replaced 2)

SECTION 14: TRANSPORT INFORMATION (continued)

14.1 UN number: UN2014

14.2 UN proper shipping name: HYDROGEN PEROXIDE, AQUEOUS SOLUTION

14.3 UN dangerous goods class 5.1 and subsidiary risk:

Labels: 5.1, 8

14.4 UN Packing Group: II14.5 Marine pollutant: No

14.6 Special precautions for user

Special regulations: Not relevant
EmS Codes: F-H, S-Q
Physico-Chemical properties: see section 9

Limited quantities: 1 L Segregation group: SGG16

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code:

Not relevant

Transport of dangerous goods by air:

With regard to IATA/ICAO 2024:



14.1 UN number: UN2014

14.2 UN proper shipping name: HYDROGEN PEROXIDE, AQUEOUS SOLUTION

14.3 UN dangerous goods class

and subsidiary risk:

Labels: 5.1, 8 **14.4 UN Packing Group:** II **14.5 Environmental hazards:** No

14.6 Special precautions for user

Physico-Chemical properties: see section 9

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code:

Not relevant

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations specific for the product in question:

- Substances listed in the Montreal Protocol: Not relevant
- Substances listed in the Rotterdam Convention: Not relevant
- Substances listed in the Stockholm Convention: Not relevant

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as data used in a risk evaluation of the local circumstances in order to establish the necessary risk prevention measures for the manipulation, use, storage and disposal of this product.

Relevant regulatory requirements:

Health and Safety at Work (Hazardous Substances) Regulations 2017 Health and

Safety at Work Act 2015

Consolidated Hazardous Substances (Labelling) Notice 2017 Consolidated

Hazardous Substances (Packaging) Notice 2017

Consolidated Hazardous Substances (Hazardous Property Controls) Notice 2017 Consolidated Hazardous

Substances (Importers and Manufacturers) Notice 2015

The Hazardous Substances and New Organisms Act (HSNO) Hydrogen Peroxide 20-60%: HSR001326

Agricultural Chemicals and Veterinary Medicines Act (ACVM): ACVM 009929

SECTION 16: OTHER INFORMATION

Legislation related to safety data sheets:

This safety data sheet has been designed in accordance with Schedule: Content and format of safety data sheets (clause 7) of Consolidated Hazardous Substances (Safety Data Sheets) Notice 2017

Texts of the legislative phrases mentioned in section 2:

CONTINUED ON NEXT PAGE

Version: 3 (Replaced 2) Page 9/10

According to Consolidated Hazardous Substances (Safety Data Sheets) Notice 2017



Huwa-San TR-50

Date of compilation: 07/04/2025 Revised: 17/11/2023 Version: 3 (Replaced 2)

SECTION 16: OTHER INFORMATION (continued)

H315: Causes skin irritation.

H318: Causes serious eye damage.

H335: May cause respiratory irritation.

H412: Harmful to aquatic life with long lasting effects.

H302: Harmful if swallowed.

Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

Hazardous Substances (Hazard Classification) Notice 2020.:

Acute Tox. 4: H302+H332 - Harmful if swallowed or if inhaled.

Aquatic Acute 1: H400 - Very toxic to aquatic life.

Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.

Ox. Liq. 1: H271 - May cause fire or explosion, strong oxidiser. Skin Corr. 1A: H314 - Causes severe skin burns and eye damage.

Advice related to training:

Minimal training is recommended to prevent industrial risks for staff using this product, in order to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

Principal bibliographical sources:

https://www.epa.govt.nz/

Abbreviations and acronyms:

HSNO Act: Hazardous substances and new organisms Act IMDG: International maritime dangerous goods code IATA: International Air Transport Association

ICAO: International Civil Aviation Organisation

COD: Chemical Oxygen Demand

BOD5: 5-day biochemical oxygen demand

BCF: Bioconcentration factor LD50: Lethal Dose 50

CL50: Lethal Concentration 50 EC50: Effective concentration 50

Log-POW: Octanol-water partition coefficient Koc: Partition coefficient of organic carbon IARC: International Agency for Research on Cancer

TECHNOLOGY

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.

END OF SAFETY DATA SHEET

Version: 3 (Replaced 2) Page 10/10